Subject Index—Volume 32

A

abdomen, helical computed tomography evaluation, 660
  stacked multiplanar reconstructions, 550
ablation. *See* Thermoablation
abscess
  Brodie's, plain radiographic appearance, 51
  experimental pyelonephritis in rabbits, 696
Achilles tendon, in rheumatoid arthritis, 602
adenoma
  parathyroid, single-photon emission computer tomography, 459
  pituitary, nuclear magnetic relaxation dispersion profiles, 320
aerosols
  gadolinium-DTPA, for ventilation imaging, 797
  perfluorocarbon, for lung structure and pulmonary oxygenation patterns analysis, 29
amorphous silicon, flat panel X-ray foreign body detection using, 373
angiography
  coronary flow assessment, 198
  hepatocellular carcinoma, 161
  pulmonary emboli visualization, 431
  selective carotid, cerebral effects, 507
  subtraction, contrast-enhanced radiography and, 306
animals
  arteriovenous fistulae, endovascular stents and, 180
  bronchial arteries, pulmonary artery occlusion and, 218
  cardiac energy metabolism, manganese and, 205
  cerebral effects, in selective carotid angiography with carbon dioxide gas, 507
  contrast media studies
    coagulation, 249
    gadodiamide injection versus gadopentetate dimeglumine, 140
    hemodynamic tolerance, 111
    managanese, perfused heart and, 581
    renal vasoconstriction induction, 315
    in VX2 tumor-bearing rabbits, 410
  fibrosarcoma-1 tumors, 39
  guide wires, experimental neuroendovascular applications, 241
  hepatocellular carcinoma and benign hyperplastic nodule, 282
  isolated heart preparation, 713
  liver tumors, 94
  necrosis models, paramagnetic metalloporphyrins and, 770
  nephrotoxicity, nonionic dimers and (correspondence), 368, 369
  patent ductus arteriosus, transvenous plug device for, 523
  pyelonephritis, 696
  renal artery embolization, 260
  renal metastasis, 212
  renal obstruction model, 154
  skeletal muscle relaxation times, peripheral nerve injury and, 135
  spinal cord injury, 382
arterial occlusive disease, magnetic resonance spectroscopy in, 651
arteries
  bronchial, pulmonary artery occlusion and, in pig, 218
  iodinated contrast media-induced renal vasoconstriction, 315
  renal, particulate embolization, 260
arteriovenous fistulae, canine, endovascular stents and, 180
aspiration, fine-needle. *See*-needle aspiration biopsy
atrial septal defects, interventional creation of, 90
atrioseptostomy, interventional, 90
attenuation
  gadolinium-DTPA in fast helical computed tomography, 690
  pulsatile arterial flow phantom and, 225
auditory cortex activation, evaluation by functional magnetic resonance imaging, 297

B

bias and error, in metacarpal radiogrammetry, 12
biodistribution
  MS-325 preclinical evaluation, 741
  polyethylene glycol-coated iopromide-carrying liposomes, 44
biopsy
  bronchoscopic transtracheal, 667
  fine-needle aspiration. *See* Fine-needle aspiration biopsy
  interventional magnetic resonance imaging and, 191
  lung, 453
  nasogastric, in gastric carcinoma diagnosis, 496
Björk-Shiley heart valve, single leg separation in, quantitative assessment, 540
bladder cancer, ultrasonographic evaluation, 396
bleeding time, contrast media and, 249
blood-brain barrier, gadolinium chelates and, 780
blood clotting, contrast media and, 249
blood-pool agents
  for magnetic resonance urography, 418
  MS-325, preclinical evaluation, 741
  polyethylene glycol-coated iopromide-carrying liposomes, 44
blood stem cell transplantation, bone marrow signal changes during, 613
b-mode imaging, in VX2 tumor-bearing rabbits, 410
body fat, ultrasound bone velocity and, 609
bone
  in breast cancer, scan and collagenase correlation, 302
  density and mass, femur neck, 83
  metacarpal cortical striation, 679
bone marrow, magnetic resonance signal changes, high-dose chemotherapy and, 613
bone velocity, ultrasound
  on proximal phalanges in healthy women, 66
  soft tissue influence on, 609
book review, 131
bowel. *See*l bowel
brain
  HIV-related encephalopathy, proton magnetic resonance spectroscopy detection of, 485
  selective carotid angiography with carbon dioxide effect on, 507
brain tumors, lactate(+lipid) concentrations in, 288
BR14 contrast agent, VX2 tumors and, 410
breast
  clinical amplitude/velocity reconstructive imaging, 19
  lesions, mammographically-guided fine-needle aspirates, 277
  radiation, optimal technique factors, 378
breast cancer
  bone marrow evaluation during high-dose chemotherapy for, 613
  bone scan and collagenase activities in, 302
  mammography and sonography combined in, 19
Brodie's abscess, plain radiographic appearance, 51
bronchial arteries, pulmonary artery occlusion and, in pig, 218
bronchitis, spirometric dated quantitative computed tomography in, 335
bronchoscopy, in paratracheal lymphadenopathy, 667

C

calcium, coronary measurements, 503
carbon dioxide

Subject Index—Volume 32

A

abdomen, helical computed tomography evaluation, 660
  stacked multiplanar reconstructions, 550
ablation. *See* Thermoablation
abscess
  Brodie's, plain radiographic appearance, 51
  experimental pyelonephritis in rabbits, 696
Achilles tendon, in rheumatoid arthritis, 602
adenoma
  parathyroid, single-photon emission computer tomography, 459
  pituitary, nuclear magnetic relaxation dispersion profiles, 320
aerosols
  gadolinium-DTPA, for ventilation imaging, 797
  perfluorocarbon, for lung structure and pulmonary oxygenation patterns analysis, 29
amorphous silicon, flat panel X-ray foreign body detection using, 373
angiography
  coronary flow assessment, 198
  hepatocellular carcinoma, 161
  pulmonary emboli visualization, 431
  selective carotid, cerebral effects, 507
  subtraction, contrast-enhanced radiography and, 306
animals
  arteriovenous fistulae, endovascular stents and, 180
  bronchial arteries, pulmonary artery occlusion and, 218
  cardiac energy metabolism, manganese and, 205
  cerebral effects, in selective carotid angiography with carbon dioxide gas, 507
  contrast media studies
    coagulation, 249
    gadodiamide injection versus gadopentetate dimeglumine, 140
    hemodynamic tolerance, 111
    managanese, perfused heart and, 581
    renal vasoconstriction induction, 315
    in VX2 tumor-bearing rabbits, 410
  fibrosarcoma-1 tumors, 39
  guide wires, experimental neuroendovascular applications, 241
  hepatocellular carcinoma and benign hyperplastic nodule, 282
  isolated heart preparation, 713
  liver tumors, 94
  necrosis models, paramagnetic metalloporphyrins and, 770
  nephrotoxicity, nonionic dimers and (correspondence), 368, 369
  patent ductus arteriosus, transvenous plug device for, 523
  pyelonephritis, 696
  renal artery embolization, 260
  renal metastasis, 212
  renal obstruction model, 154
  skeletal muscle relaxation times, peripheral nerve injury and, 135
  spinal cord injury, 382
arterial occlusive disease, magnetic resonance spectroscopy in, 651
arteries
  bronchial, pulmonary artery occlusion and, in pig, 218
  iodinated contrast media-induced renal vasoconstriction, 315
  renal, particulate embolization, 260
arteriovenous fistulae, canine, endovascular stents and, 180
aspiration, fine-needle. *See*-needle aspiration biopsy
atrial septal defects, interventional creation of, 90
atrioseptostomy, interventional, 90
attenuation
  gadolinium-DTPA in fast helical computed tomography, 690
  pulsatile arterial flow phantom and, 225
auditory cortex activation, evaluation by functional magnetic resonance imaging, 297

B

bias and error, in metacarpal radiogrammetry, 12
biodistribution
  MS-325 preclinical evaluation, 741
  polyethylene glycol-coated iopromide-carrying liposomes, 44
biopsy
  bronchoscopic transtracheal, 667
  fine-needle aspiration. *See* Fine-needle aspiration biopsy
  interventional magnetic resonance imaging and, 191
  lung, 453
  nasogastric, in gastric carcinoma diagnosis, 496
Björk-Shiley heart valve, single leg separation in, quantitative assessment, 540
bladder cancer, ultrasonographic evaluation, 396
bleeding time, contrast media and, 249
blood-brain barrier, gadolinium chelates and, 780
blood clotting, contrast media and, 249
blood-pool agents
  for magnetic resonance urography, 418
  MS-325, preclinical evaluation, 741
  polyethylene glycol-coated iopromide-carrying liposomes, 44
blood stem cell transplantation, bone marrow signal changes during, 613
b-mode imaging, in VX2 tumor-bearing rabbits, 410
body fat, ultrasound bone velocity and, 609
bone
  in breast cancer, scan and collagenase correlation, 302
  density and mass, femur neck, 83
  metacarpal cortical striation, 679
bone marrow, magnetic resonance signal changes, high-dose chemotherapy and, 613
bone velocity, ultrasound
  on proximal phalanges in healthy women, 66
  soft tissue influence on, 609
book review, 131
bowel. *See*l bowel
brain
  HIV-related encephalopathy, proton magnetic resonance spectroscopy detection of, 485
  selective carotid angiography with carbon dioxide effect on, 507
brain tumors, lactate(+lipid) concentrations in, 288
BR14 contrast agent, VX2 tumors and, 410
breast
  clinical amplitude/velocity reconstructive imaging, 19
  lesions, mammographically-guided fine-needle aspirates, 277
  radiation, optimal technique factors, 378
breast cancer
  bone marrow evaluation during high-dose chemotherapy for, 613
  bone scan and collagenase activities in, 302
  mammography and sonography combined in, 19
Brodie's abscess, plain radiographic appearance, 51
bronchial arteries, pulmonary artery occlusion and, in pig, 218
bronchitis, spirometric dated quantitative computed tomography in, 335
bronchoscopy, in paratracheal lymphadenopathy, 667

C

calcium, coronary measurements, 503
carbon dioxide

microbubbles, for invasive bladder cancer evaluation, 396
selective carotid angiography with, cerebral effects, 507
carcinoma
gastric, fluoroscopic-guided gastric mapping, 496
renal cell tumor, computed tomography and histopathology correlation, 596
carpal box radiography, 51
cartilage
injuries to, incidence and diagnostic methods, 169
knee, three-dimensional computerized reconstruction, 475
cavernosography, 424
cavernosometry, 424
cell counts, from mammographically-guided fine-needle aspirates, 277
cellular necrosis
liver tissue, 705
paramagnetic metalloporphyrins and, 770
cerebrospinal fluid, contrast enhancement, 140
chelates, contrast agent delivery method and, 748
chemical shift imaging, metastatic tumors in spine region, 344
chemotherapy, high-dose, bone marrow signal changes during, 613
circular model, metacarpal radiogrammetry, 12
cisternography, 140
coagulation, contrast media influence on, 249
complement systems and (correspondence), 648
cochlear implants, candidate evaluation for, 297
coils
arrays, female pelvis, 1
for patent ductus arteriosus closure, 636
collagenase, and bone scan correlation in breast cancer, 302
color Doppler, experimental liver tumors in rabbit, 94
computed tomography
abdominal helical, 660
stacked multiplanar reconstructions, 550
digital chest imaging using selenium detector, 363
helical, gadolinium-DTPA in, 690
hepatocellular carcinoma, 161
high-resolution, in interstitial pneumonitis, 566
mediastinal, after left upper lobectomy, 174
polyethylene glycol-coated iopromide-carrying liposomes, 44
quantitative, femur neck, 83
renal cell tumor, and histopathology correlation, 596
single-photon emission, in hyperparathyroidism, 459
spiral
atherosclerotic plaque components in aorta and (erratum), 65
coronary calcium measurements, 503
spirometric dated quantitative, lung, 335
computed tomography fluoroscopy, in paratracheal lymphadenopathy, 667
contrast enhancement
differential absorption, 306
experimental pyelonephritis, 696
hepatocellular carcinoma, 282
lasers and, 306
liver metastases, small, 557
lung perfusion and transplantation, 351
lymph node metastasis, 441
renal metastasis, 212
spinal epidural tumor model, 589
contrast media. *See also* Blood-pool agents; *individually named agents*
blood volume measurements, 763
coagulation and, 249
complement systems and (correspondence), 648
comparative cytotoxicity, 621
delivery to tumors and tumor cells, 748
destruction, ultrasound-mediated, 728
experimental liver tumors delineated by, 94
hemodynamic tolerance, 111, 755
iodinated, corpus cavernosum smooth muscle and, 418
kinetics in isolated pig heart preparation, 713
for magnetic resonance urography, 418
microsphere size distribution, 627
nonionic
osmolality, 684
renal tolerance in humans (correspondence), 368, 369
solvent-accessible surface area, 126
perfused rat heart and, 581
protein binding and, 780
pulsatile arterial flow phantom and, 225
in VX2 tumor-bearing rabbits, 410
coronary flow, densitometric approach, 198
corpus cavernosum, contrast medium effect on, 424
cortical bone geometry
quantitative computed tomography study, 83
radiogrammetric estimates, 12
CT. *See* Computed tomography
cytology, fine-needle aspiration lung biopsy and, 453
cytotoxicity, contrast media, 621

D

deafness, auditory cortex activation in, 297
demyelination, around developmental venous anomaly, 575
dendrimers, contrast agent delivery method and, 748
densitometry, coronary flow assessment, 198
developmental venous anomaly, acute demyelination around, 575
differential absorption, contrast-enhanced radiography by, 306
digital analysis, single leg separation in prosthetic heart valves, 540
digital imaging
chest, using selenium detector, 363
foreign body detection, 373
disseminated encephalomyelitis, acute demyelination and, 575
distal tibiofibular syndesmosis, diagnosis of, 401
dogs, arteriovenous fistulae in, 180
Doppler sonography
experimental liver tumors, 94
frequency shift, and echo enhancement relationship, 225
metastases and reactive lymph node evaluation, 441
poststenotic spectrum, 389
renal obstruction model, 154
duplex sonography, color-coded, in experimentally induced multilevel stenosis, 389

E

echocardiography, MRX-115 clinical trials, phase I, 735
echo enhancement, and Doppler frequency shift relationship, ultrasound, 225
echo times, HIV-related encephalopathy detection by proton magnetic resonance spectroscopy, 485
electrical cochlear stimulation, auditory cortex activation during, evaluation by functional magnetic resonance imaging, 297
embolism, pulmonary, magnetic resonance angiography, 431
encephalomyelitis, acute demyelination and, magnetic resonance imaging findings, 575
encephalopathy, HIV-related, proton magnetic resonance spectroscopy, 485
endovascular stents, poly-lactic-acid coating for, canine arteriovenous fistulae, 180
enteroclycis, small bowel radiographic examination and, 357

error. *See* Bias and error
estrogen, gallbladder motility and emptying and, 330
Ewing's sarcoma, plain radiographic appearance, 59

F

fat, anterior mediastinal, 174
fat-free mass, ultrasound bone velocity and, 609
femur neck, quantitative computed tomography study, 83
fibroblasts, contrast media comparative cytotoxicity to, 621
fibrosarcoma-1 tumors, murine, 39
filters, inferior vena cava, physiologic in vitro model, 511
fine-needle aspiration biopsy
  breast lesions, 277
  bronchoscopic transtracheal, 667
  lung, cytologic evaluation, 453
flat panel X-ray, foreign body detection, 373
fluorine magnetic resonance imaging, lung structure and pulmonary oxygenation patterns analysis, 29
fluoroscopic-guided gastric mapping, gastric carcinoma, 496
FNAB. *See* Fine-needle aspiration biopsy
folate, contrast agent delivery method and, 748
fractures
  incidence and diagnostic methods, 169
  knee, 7
  scaphoid, 149
functional magnetic resonance imaging, auditory cortex activation in deaf subjects, 297

G

gadobenate dimeglumine, protein binding and, 780
gadodiamide injection, and gadopentetate dimeglumine compared, 140
gadolinium
  aerosol for ventilation imaging, 797
  fast helical computed tomography and, 690
  hemodynamic effects, 111
  liver metastases and, 557
  for magnetic resonance urography, 418
  MS-325 preclinical evaluation and, 741
  necrosis models and, 770
  protein binding and, 780
  spinal cord injury evaluation, 105
  spinal epidural tumor model and, 589
  subarachnoid space and, 140
gadopentetate dimeglumine
  and gadodiamide injection compared, 140
  hemodynamic effects, 111
galactose
  lymph node metastasis evaluation, 441
  microbubbles, gray-scale second harmonic imaging of liver with, 120
gallbladder motility and emptying, menstrual cycle and, 330
gastric carcinoma, fluoroscopic-guided gastric mapping in, 496
gastric mapping, in gastric carcinoma, 496
gene therapy, and gene expression enhancement, 723
glial activation, HIV-related, 485
Graves' disease, metacarpal cortical striation in, 679
guide wires, experimental neuroendovascular applications, 241

H

harmonic imaging
  gray-scale second, liver, 120
  in VX2 tumor-bearing rabbits, 410
heart
  calcium measurements, 503
  hemodynamic tolerance of contrast agents, 111, 755
  isolated pig preparation, 713
  left ventricular function parameter assessment, 529
  valve prosthesis, quantitative assessment, 540
hemodynamic effects, contrast agents, 111, 755
hepatocellular carcinoma, 161
  and benign hyperplastic nodule, 282
hernia, diagnosis, 644
HIV (human immunodeficiency virus)-related encephalopathy, 485
hyperparathyroidism, metacarpal cortical striation and, 679
hyperplasia, parathyroid, 459
hyperplastic nodule, benign, hepatocellular carcinoma and, 282
hyperthermia, effects in liver tissue, 705

I

iliofemoral arteries, experimentally induced multilevel stenosis in, 389
image display, stacked multiplanar reconstructions, 550
immunostains, pituitary adenoma nuclear magnetic relaxation dispersion profiles, 320
inferior vena cava, physiologic in vitro model, 511
inguinal hernia, diagnosis, 644
instrumentation, experimental neuroendovascular applications, 241
interstitial pneumonitis, 566
interventional atrioseptostomy, in vitro evaluation, 90
iodinated contrast media
  corpus cavernosum smooth muscle and, 418
  hemodynamic tolerance, 111
  macromolecular, vascular effects and transport, 447
  renal vasoconstriction induced by, 315
iopromide, liposomes carrying, biodistribution and computed tomography properties, 44
iron oxide, heating effects in liver tissue, 705
irradiation, brain tumors and, altered lactate(+lipid) concentrations, 288

J

joint injuries, knee, 7

K

kidney
  bedside monitoring method of renal status, 802
  experimental pyelonephritis, 696
  failure, contrast media cytotoxicity and, 621
  iodinated contrast media-induced vasoconstriction, 315
  magnetic resonance urography, 418
  metastasis, animal model, 212
  obstruction model, 154
  renal cell tumor, computed tomography and histopathology correlation, 596
knee
  lipohemarthrosis, 7
  three-dimensional computerized reconstruction, 475

L

lactate(+lipid) concentrations, in brain tumors, magnetic resonance spectroscopy and, 288
lasers, contrast-enhanced radiography and, 306
left ventricular function, assessment, 529
ligaments, injuries to, incidence and diagnostic methods, 169

likelihood ratio, mesial temporal sclerosis, 268
lipohemarthrosis, knee, 7
liposomes
  computed tomography blood-pool imaging properties, 44
  transfection in, gene expression enhancement, 723
liver
  experimental tumors, 94
  hepatocellular carcinoma, 161
    and benign hyperplastic nodule, 282
  magnetically induced heating effects in, 705
  metastases detectability, 557
  total entropy evaluation, 100
  in VX2 tumor-bearing rabbits, 410
lobectomy, left upper, mediastinal computed tomography after, 174
lung
  digital chest imaging using selenium detector, 363
  fine-needle aspiration biopsy, cytologic evaluation and, 453
  gadolinium-DTPA-based aerosol for ventilation imaging, 797
  interstitial pneumonitis, 566
  perfusion, 351
  pulmonary emboli, 431
  spirometric dated quantitative computed tomography, 335
  structure and pulmonary oxygenation patterns analysis, 29
  transplantation, 351
lymphadenopathy, paratracheal, 667
lymph nodes, and metastases evaluation, 441

M

macromolecular contrast media, iodinated, 447
magnetic heating, effects in liver tissue, 705
magnetic resonance angiography. *See* Angiography
magnetic resonance imaging
  blood volume measurements, 763
  lood volume measurements in testicular torsion, 763
  bone marrow signal changes on, high-dose chemotherapy and, 613
  cardiac energy metabolism, manganese and, 205
  development venous anomaly, acute demyelination around, 575
  distal tibiofibular syndesmosis, 401
  experimental pyelonephritis, 696
  fast spin-echo, atherosclerotic plaque components in aorta and (erratum), 65
  female pelvis, 1
  functional, auditory cortex activation in deaf subjects, 297
  gadolinium chelates for, 780
  hepatocellular carcinoma, 161
    and benign hyperplastic nodule, 282
  inguinal hernia diagnosis, 644
  interventional
    radio frequency ablation and, 466
      monitoring, 671
    1.5-T system, 191
  intravascular contrast agents for
  isolated pig heart preparation for, 713
  knee
    fractures, 7
    three-dimensional computerized reconstruction, 475
  left ventricular function assessment, 529
  liver metastases, 557
  mesial temporal sclerosis, 268
  MS-325 preclinical evaluation for, 741
  nuclear. *See* Nuclear magnetic resonance imaging
  spinal cord injury, 105
  spinal epidural tumor model, 589
magnetic resonance spectroscopy
  in arterial occlusive disease, 651
  brain tumors, lactate(+lipid) concentrations in, 288
  fibrosarcoma-1 tumors, 39
  HIV-related encephalopathy, 485
  liver total entropy evaluation, 100
  metastatic tumors in spine region, 344
  perfused rat heart, manganese and, 581
magnetic resonance urography, contrast-enhanced, 418
magnetite, heating effects in liver tissue, 705
mammography
  clinical amplitude/velocity reconstructive imaging and, 19
  high-resolution telemammography system, 236
  magnification techniques, 378
manganese
  cardiac energy metabolism effects, 205
  spectroscopic and metabolic effects, 581
MCPP. *See* Metacarpophalangeal pattern profile analysis
menstrual cycle, gallbladder motility and emptying and, 330
mesangial cells, contrast media comparative cytotoxicity to, 621
mesial temporal sclerosis, 268
metacarpal cortical striation, in Graves' disease, 679
metacarpal radiogrammetry, 12
metacarpophalangeal pattern profile analysis, 73
metastases
  liver, 557
  and reactive lymph node evaluation, 441
  renal, animal model, 212
  spinal tumors
    epidural, 589
    phosphorus chemical shift imaging, 212
microbubbles
  galactose-based, gray-scale second harmonic imaging and, 120
  MRX-115 clinical trials, 735
  pulsatile arterial flow phantom and, 225
microspheres, air-filled albumin, 627
military medicine, musculoskeletal injuries and, 169
mineralization, metacarpal cortical striation and, 679
mouse, fibrosarcoma-1 tumors, 39
MRI. *See* Magnetic resonance imaging
MRX-115 clinical trials, phase I, 735
MS-325, preclinical evaluation for magnetic resonance imaging, 741
multiple sclerosis, acute demyelination and, 575
muscle
  contraction, contrast medium inducing, 418
  metabolism in arterial occlusive disease, 651
musculoskeletal injuries, incidence and diagnostic methods, 169
myocardium, isolated pig heart preparation, 713

N

nasogastric biopsy, gastric carcinoma diagnosis, 496
necrosis
  in liver tissue, 705
  paramagnetic metalloporphyrins and, 770
needle aspiration. *See* Fine-needle aspiration biopsy
nephrotoxicity
  iodinated contrast media-induced, 315
  nonionic dimers in humans and (correspondence), 368, 369
neuronal injury, HIV-related, 485
neuroradiology, interventional, guide wire performance studies, 241
nuclear magnetic resonance imaging
  lung structure and pulmonary oxygenation patterns analysis, 29
  skeletal muscle relaxation times, peripheral nerve injury and, 135
nuclear magnetic resonance spectroscopy, spinal cord injury, 382

O

occlusion
  pulmonary artery, bronchial arteries and, 218
  renal artery embolization, 260
  transvenous, patent ductus arteriovenous plug device, 523
odds ratio analysis, small bowel radiographic examination, 357
osmolality, monomeric nonionic contrast media, 684
osteoarthritis, knee, three-dimensional computerized reconstruction, 475
osteomyelitis, chronic, Brodie's abscess and, 51

P

paramagnetic metalloporphyrins, necrosis models and, 770
parathyroid adenoma, 459
parathyroid hyperplasia, 459
patent ductus arteriosus
  coil device for, 636
  transvenous plug device for, 523
pattern profile analysis, triphalangeal thumb, 73
pelvis, female, 1
perfluorocarbon aerosols, lung structure and pulmonary oxygenation patterns analysis, 29
perimenopausal women, ultrasound bone velocity on proximal phalanges in, 66
peripheral nerve injury, skeletal muscle relaxation times and, 135
PET. *See* Positron emission tomography
phalanges, proximal, ultrasound bone velocity in healthy women, 66
phantoms
pulsatile arterial flow, 225
  radio frequency lesions in, 466
pharmacokinetics, MS-325 preclinical evaluation, 741
phosphorus
  chemical shift imaging of metastatic tumors in spine region and, 344
  magnetic resonance spectroscopy in arterial occlusive disease and, 651
  nuclear magnetic resonance spectroscopy in spinal cord injury and, 382
pig
  bronchial arteries in, pulmonary artery occlusion and, 218
  cerebral effects, selective carotid angiography with carbon dioxide gas, 507
  contrast media in
    gadodiamide injection versus gadopentetate dimeglumine, 140
    hemodynamic side effects, 111
  isolated heart preparation, 713
  renal obstruction model, 154
  spinal cord injury, 382
pituitary adenomas, nuclear magnetic relaxation dispersion profiles, 320
plain radiography. *See* Radiography
pneumonitis, interstitial, 566
polyethylene glycol, liposomes coated with, 44
poly-lactic-acid coating, for endovascular stents in dog, 180
polymeric chelates, contrast agent delivery method and, 748
polyvinyl alcohol
  particles, renal artery embolization and, 260
  transvenous plug device for patent ductus arteriosus, 523
porphyrin, necrosis models and, 770
positron emission tomography, isolated pig heart preparation for, 713
postmenopausal women, ultrasound bone velocity on proximal phalanges in, 66
premenopausal women, ultrasound bone velocity on proximal phalanges in, 66
progesterone, gallbladder motility and emptying and, 330
prosthetic heart valves, quantitative assessment, 540
protein binding, gadolinium chelates and, 780
pseudotumor, mediastinal computed tomography, 174
pulmonary embolism, 431
  bronchial arteries and, 218
pulmonary oxygen imaging, lung structure and pulmonary oxygenation patterns analysis, 29
pulmonary ventilation imaging, 797
pulsatile flow model, 225
pyelonephritis, experimental in rabbits, 696

Q

quadriceps muscle, in arterial occlusive disease, 651
quality improvement, small bowel radiographic examination, 357
quantitative analysis
  Brodie's abscess, 51
  Ewing's sarcoma, 59
  prosthetic heart valves, 540
quantitative computed tomography
  cortical bone geometry, 83
  lung, spirometric dated, 335

R

rabbit
  experimental liver tumors, 94
  renal artery embolization, 260
  VX2 tumor-bearing, 410
radiation therapy
  for bladder cancer, 396
  murine tumors induced by, 39
radio frequency ablation, 466
  monitoring, 671
radiogrammetry, metacarpal, 12
radiography
  Brodie's abscess, 51
  carpal box, 51
  contrast-enhanced, lasers and, 306
  contrast media and (correspondence), 648
  digital chest imaging using selenium detector, 363
  Ewing's sarcoma, 59
  prosthetic heart valve, quantitative assessment, 540
  small bowel examination, 357
radiotherapy, for brain tumors, altered lactate(+lipid) concentrations and, 288
rat
  cardiac energy metabolism, 205
  hepatocellular carcinoma and benign hyperplastic nodule, 282
  necrosis models, paramagnetic metalloporphyrins and, 770
  perfused heart, 581
  skeletal muscle relaxation times, peripheral nerve injury and, 135
  reconstructive imaging
  breast sonography, clinical amplitude/velocity, 19
  knee, three-dimensional computerized, 475
  stacked multiplanar, 550
relaxation dispersion profiles, nuclear magnetic, pituitary adenomas, 320
relaxation times, skeletal muscle, peripheral nerve injury and, 135
renal cell tumor, computed tomography and histopathology correlation, 596

renal failure
  bedside monitoring method, 802
  contrast media cytotoxicity and, 621
renal metastasis, animal model, 212
renal obstruction, 154
renal status, bedside monitoring method, 802
renal tolerance, of nonionic dimers in humans (correspondence), 368, 369
renal vasoconstriction, iodinated contrast media-induced, 315
reproducibility, coronary calcium measurements, 503
resistive index, renal obstruction model, 154
reticuloendothelial system, experimental liver tumors and, 94
rheumatoid arthritis, Achilles tendon in, 602

S

scaphoid fracture, carpal box radiography, 149
sclerosis
  mesial temporal, 268
  multiple, acute demyelination and, 575
selenium detector, digital chest imaging using, 363
signal enhancer, Doppler sonography, lymph node metastasis and, 441
single-photon emission computer tomography, in hyperparathyroidism, 459
skeletal muscle relaxation times, peripheral nerve injury and, 135
small bowel, radiographic examination, 357
smoking, spirometric dated quantitative computed tomography of lung and, 335
smooth muscle contraction, contrast medium inducing, 418
soft tissue
  injuries, incidence and diagnostic methods, 169
  ultrasound bone velocity and, 609
sonography. *See* Ultrasound
SPECT. *See* Single-photon emission computer tomography
spinal cord injury, 105, 382
spine
  epidural tumor model, 589
  metastatic tumors, 344
SPIO. *See* Superparamagnetic iron oxides
stenosis, experimentally induced multilevel, 389
stent, endovascular, canine arteriovenous fistulae and, 180
stimulated acoustic emission, experimental liver tumors and, 94
subtraction angiography, contrast-enhanced radiography and, 306
superparamagnetic iron oxides, hepatocellular carcinoma and benign hyperplastic nodule, 282
syndesmotic injury, distal tibiofibular, 401

T

technetium tetrofosmin parathyroid imaging, in hyperparathyroidism, 459
telemammography, high-resolution system, 236
temperature
  magnetically induced heating effects in liver tissue, 705
  monitoring in radio frequency thermoablation, 671
tendinopathy, degenerative, in rheumatoid arthritis, 602
testicular torsion, blood volume measurements in, 763
textured analysis, in interstitial pneumonitis, 566
thermoablation, radio frequency, 466
  monitoring, 671
thorax, digital chest imaging using selenium detector, 363
three-dimensional computerized reconstruction, knee, 475
thromboplastin time, contrast media and, 249
thumb, triphalangeal, pattern profile analysis, 73
total entropy, evaluation, magnetic resonance spectroscopy, 100
trabecular bone geometry, quantitative computed tomography study, 83
transfection, liposomal, gene expression enhancement, 723
transplantation
  blood stem cell, bone marrow evaluation during, 613
  lung, contrast-enhanced dynamic magnetic resonance imaging and, 351
transport, iodinated macromolecular contrast media, 447
triphalangeal thumb, pattern profile analysis, 73

U

ultrasound
  bladder cancer evaluation, 396
  bone velocity
    on proximal phalanges in healthy women, 66
    soft tissue influence on, 609
  breast, clinical amplitude/velocity reconstructive imaging, 19
  color-coded duplex, experimentally induced multilevel stenosis, 389
  contrast agent destruction mediated by, 728
  echo enhancement and Doppler frequency shift relationship, 225
  experimental liver tumors, 94
  gene expression enhancement of liposomal transfection, 723
  gray-scale second harmonic imaging of liver, 120
  microsphere size distribution and, 627

V

vascular system, iodinated macromolecular contrast media and, 447
vasoconstriction, renal, iodinated contrast media-induced, 315
velocity
  maximum and mean, renal obstruction model, 154
  ultrasound bone
    on proximal phalanges in healthy women, 66
    soft tissue influence on, 609
  ultrasound echo enhancement and Doppler frequency shift relationship, 154
venous anomaly, developmental, acute demyelination and, 575
ventilation imaging, gadolinium-DTPA-based aerosol for, 797
vertebral column, metastatic tumors and, 344
VX2 tumors, BR14 ultrasonographic contrast agent and, 410

W

wall thickness, left ventricular function assessment and, 529
wrist, carpal box radiographs, 149

X

x-ray
  foreign body detection, 373
  interventions guided by, 191

Author Index—Volume 32

A

Adam, G., Neuerburg, J., Bücker, A., Glowinski, A., Vorwerk, D., Stargardt, A., Van Vaals, J. J., Günther, R. W.: Interventional magnetic resonance: Initial clinical experience with a 1.5-Tesla magnetic resonance system combined with C-arm fluoroscopy, 191
Adam, G.: *see* Nolte-Ernsting, C.
Adam, G.: *see* Wildberger, J. E.
Adriaens, P.: *see* Ni, Y.
Aguado, F., Revilla, M., Hernández, E. R., Villa, L. F., Rico, H.: Ultrasound bone velocity on proximal phalanges in premenopausal, perimenopausal, and postmenopausal healthy women, 66
Aguado, F.: *see* Gómez, M.
Aibe, H.: *see* Honda, H.
Akimoto, T., Matsumoto, M., Mitsuhashi, N., Mashimo, T., Niibe, H.: Evaluation of effect of treatment for invasive bladder cancer by ultrasonography with intra-aterial infusion on carbon dioxide microbubbles, 396
Akino, M., O'Donnell, J. M., Robitaille, P.-M. L., Stokes, B. T.: Phosphorus-31 magnetic resonance spectroscopy studies of pig spinal cord injury: Myelin changes, intracellular pH, and bioenergetics, 382
Alderman, J.: *see* Putman, C. M.
Alexander, J.: *see* Völk, M.
Allman, K.-H.: *see* Altehoefer, C.
Altehoefer, C., Laubenberger, J., Lange, W., Kraus, A., Allman, K.-H., Uhrmeister, P., Langer, M.: Prospective evaluation of bone marrow signal changes on magnetic resonance tomography during high-dose chemotherapy and peripheral blood stem cell transplantation in patients with breast cancer, 613
Andrä, W.: *see* Hilger, I.
André-Fouët, X.: *see* Casali, C.
Apter, S.: *see* Shemesh, J.
Artaud, D.: *see* Remy, J.

B

Baert, A. L.: *see* Ni, Y.
Bähring, R.: *see* Hilger, I.
Baldwin, N. J.: *see* Sijens, P. E.
Baldwin, S. A.: *see* Runge, V. M.
Batnitzky, S.: *see* Tebben, P. J.
Belden, C. J.: *see* Huda, W.
Bender, G. N.: Radiographic examination of the small bowel: An application of odds ratio analysis to help attain an appropriate mix of small bowel follow through and enteroclysis in a working-clinical environment, 357
Bender, G. N.: *see* Makuch, R. S.
Bendib, K.: *see* Berthezène, Y.
Bendjelid, K.: *see* Casali, C.
Berg, K.: *see* Brurok, H.
Berges, S.: *see* Nolte-Ernsting, C.
Berlis, A.: *see* Schellhammer, F.
Berthezène, Y., Croisille, P., Bertocchi, M., Houzard, C., Bendib, K., Revel, D.: Lung perfusion demonstrated by contrast-enhanced dynamic magnetic resonance imaging: Application to unilateral lung transplantation, 351
Berthezène, Y., Truy, E., Morgon, A., Giard, M. H., Hermier, M., Franconi, J. M., Froment, J. C.: Auditory cortex activation in deaf subjects during cochlear electrical stimulation: Evaluation by functional magnetic resonance imaging, 297
Bertocchi, M.: *see* Berthezène, Y.
Bier, J.: *see* Mäurer, J.
Bisson, S.: *see* Vogl, T. J.
Bjønerud, A.: *see* Nolte-Ernsting, C.
Blades, D. A.: *see* Runge, V. M.
Bloss, H.: *see* Schellhammer, F.
Böck, J. C.: *see* Knollmann, F. D.
Böck, J. C.: *see* Misselwitz, B.
Boeckmann, W.: *see* Wildberger, J. E.
Bogdanov, A., Jr.: *see* Cheng, H.-C.
Boosfeld, C.: *see* Grabitz, R. G.
Bordet, R.: *see* Remy, J.
Bosmans, H.: *see* Ni, Y.
Bossuyt, P. P. M.: *see* Roolker, L.
Botnar, R.: *see* Steiner, P.
Brandl, M.: *see* Sachse, A.
Brauers, A.: *see* Wildberger, J. E.
Brechbiel, M.: *see* Wiener, E. C.
Brinkmann, G., Melchert, U. H., Lalk, G., Emde, L., Link, J., Muhle, C., Steffens, J. C., Heller, M.: The total entropy for evaluating ^{31}P-magnetic resonance spectra of the liver in healthy volunteers and patients with metastases, 100
Brissette, M. D.: *see* Makuch, R. S.
Brock, J. W., III: *see* Cole, T. C., Jr.
Broekhuizen, T. H.: *see* Roolker, L.
Broillet, A.: *see* Schneider, M.
Bruening, R.: *see* Scheidler, J.
Brurok, H., Schjott, J., Berg, K., Karlsson, J. O. G., Jynge, P.: Effects of MnDPDP, DPdP−−, and $MnCl_2$ on cardiac energy metabolism and manganese accumulation: An experimental study in the isolated perfused rat heart, 205
Bücker, A.: *see* Adam, G.
Bücker, A.: *see* Nolte-Ernsting, C.
Budnick, R. M.: *see* Stomper, P. C.
Buhl, R.: *see* Pelinkovic, D.
Buller, V. G. M., Van Der Geest, R. J., Kool, M. D., Van Der Wall, E. E., de Roos, A., Reiber, J. H. C.: Assessment of regional left ventricular wall parameters from short axis magnetic resonance imaging using a three-dimensional extension to the improved centerline method, 529
Bussat, P.: *see* Schneider, M.

C

Cambar, J.: *see* Potier, M.
Canet, E.: *see* Casali, C.
Casali, C., Obadia, J.-F., Canet, E., Bendjelid, K., André-Fouët, X., Revel, D., Janier, M. F.: Design of an isolated pig heart preparation for positron emission tomography and magnetic resonance imaging, 713
Castelli, P. M.: *see* Cavagna, F. M.
Cavagna, F. M., Maggioni, F., Castelli, P. M., Dapri, M., Imperatori, L. G., Lorusso, V., Jenkins, B. G.: Gadolinium chelates with weak binding to serum proteins: A new class of high-efficiency, general purpose contrast agents for magnetic resonance imaging, 780
Chacko, A. K.: *see* Truax, A. L.
Chaloupka, J. C.: *see* Putman, C. M.
Chandnani, V. P.: *see* Truax, A. L.
Chang, T. S.: *see* Maitz, G. S.
Chatelain, P.: *see* Dorsaz, P.-A.
Cheema, M.: *see* Padhani, A. R.
Cheng, H.-C., Khan, M. A., Bogdanov, A., Jr., Kwong, K., Weissleder, R.: Relative blood volume measurements by magnetic resonance imaging facilitate detection of testicular torsion, 763
Chiba, T.: *see* Kono, Y.
Childress, S. M.: *see* Spiller, M.
Chistiansen, C.: *see* Sontum, P. C.
Choe, D. H., Han, M. H., Kang, G. H., Yeon, K. M., Han, M. C.: An experimental study of embolic effect according to infusion rate and concentration of suspension in transarterial particulate embolization, 260
Choe, J.-G.: *see* Kim, C.-G.
Chow, K. U.: *see* Pelinkovic, D.
Christmann, A.: *see* Jaeger, H. J.
Chung, Y.-C., Duerk, J. L., Lewin, J. S.: Generation and observation of radio frequency thermal lesion ablation for interventional magnetic resonance imaging, 466
Cole, T. C., Jr., Brock, J. W., III, Pope, J. C., IV, Schrum, F. F., Milam, D. F., Flickinger, J. E., Showalter, P. R., Worrell, J. A., Hernanz-Schulman, M.: Evaluation of renal resistive index, maximum velocity, and mean arterial flow velocity in a hydronephrotic partially obstructed pig model, 154
Colet, J.-M.: *see* Elst, L. V.
Confort-Gouny, S.: *see* Salvan, A.-M.
Copin, M. C.: *see* Remy, J.
Corot, C.: *see* Manduteanu, I.
Cortés, J.: *see* Gómez, M.
Cozzone, P. J.: *see* Salvan, A.-M.
Cresens, E.: *see* Ni, Y.
Croisille, P.: *see* Berthezène, Y.
Czembirek, H.: *see* Stiskal, M.

D

Damilakis, J.: *see* Xynos, E.
Dapri, M.: *see* Cavagna, F. M.
Daum, A.: *see* Hilger, I.
Debatin, J. F.: *see* Steiner, P.
de Kort, G. A. P.: *see* Meiners, L. C.
Delorme, S., Keller-Reichenbecher, M.-A., Zuna, I., Schlegel, W., Van Kaick, G.: Usual interstitial pneumonia: Quantitative assessment of high-resolution computed tomography findings by computer-assisted texture-based image analysis, 566
de Maeseneer, M.: *see* Ryu, K. N.
de Paolis, D. C.: *see* Tebben, P. J.
de Roos, A.: *see* Buller, V. G. M.
de Santis, M.: *see* Luboldt, W.
Deschildre, F.: *see* Remy, J.
de Valois, J. C.: *see* Van den Berg, J. C.
de Valois, J. C.: *see* Van Heesewijk, H. P. M.
Diebold, T.: *see* Vogl, T. J.
Dijkstra, P. F.: *see* Roolker, L.
Dörffel, W.: *see* Ewert, R.
Doriot, P.-A.: *see* Dorsaz, P.-A.
Dorsaz, L.: *see* Dorsaz, P.-A.
Dorsaz, P.-A., Doriot, P.-A., Dorsaz, L., Chatelain, P., Rutishauser, W.: A new densitometric approach to the assessment of mean coronary flow, 198
Drescher, P.: *see* Rauch, D.
Duerk, J. L.: *see* Chung, Y.-C.

Duffy, K. R.: *see* Spiller, M.
Dyrstad, K.: *see* Sontum, P. C.
Dzionsko, C.: *see* Grabitz, R. G.

E

Ehrhardt, K.: *see* Kuhtz-Buschbeck, J. P.
Elst, L. V., Colet, J.-M., Muller, R. N.: Spectroscopic and metabolic effects of MnCl2 and MnDPDP on the isolated and perfused rat heart, 581
Emde, L.: *see* Brinkmann, G.
Erozan, Y. S.: *see* Padhani, A. R.
Ewert, R., Dörffel, W., Rogalla, P., Mutze, S.: Computed tomography-guided transtracheal needle aspiration of paratracheal lymphadenopathy in endoscopically normal patients, 667

F

Feldberg, M. A. M.: *see* Van Heesewijk, H. P. M.
Felix, R.: *see* Knollmann, F. D.
Felix, R.: *see* Mäurer, J.
Felix, R.: *see* Vogl, T. J.
Fernandez, M.: *see* Tweedle, M. F.
Feuerbach, S.: *see* Völk, M.
Flickinger, J. E.: *see* Cole, T. C., Jr.
Fotou, G. P.: *see* Thomas, S. R.
Franconi, J. M.: *see* Berthezène, Y.
Franke, A.: *see* Grabitz, R. G.
Freudenthal, F.: *see* Grabitz, R. G.
Frigstad, S.: *see* Sontum, P. C.
Fritz, T., Unger, E. C., Sutherland, G., Sahn, D.: Phase I clinical trials of mrx-115: A new ultrasound contrast agent, 735
Fritzsch, T.: *see* Hauff, P.
Froment, J. C.: *see* Berthezène, Y.
Fründ, R.: *see* Völk, M.
Fukuya, T.: *see* Honda, H.
Furuse, M.: *see* Sugimoto, H.
Furuse, M.: *see* Toei, H.
Füzesi, L.: *see* Wildberger, J. E.

G

Gallowitsch, H. J., Mikosch, P., Kresnik, E., Gomez, I., Lind, P.: Technetium 99m tetrofosmin parathyroid imaging: Results with double-phase study and SPECT in primary and secondary hyperparathyroidism, 459
Ganott, M.: *see* Maitz, G. S.
Gansow, O.: *see* Wiener, E. C.
Gazelle, G. S.: *see* Steiner, P.
Geiser, W.: *see* Huda, W.
Geller, M.: *see* Jaeger, H. J.
Gelsema, E. S.: Analysis of metacarpophalangeal profiles by pattern recognition techniques, 73
Giard, M. H.: *see* Berthezène, Y.
Giessinger, N.: *see* Schneider, M.
Glowinski, A.: *see* Adam, G.
Gmeinwieser, J.: *see* Völk, M.
Go, P. M. N. Y. H.: *see* Van den Berg, J. C.
Goldberg, S. N.: *see* Steiner, P.
Gomez, I.: *see* Gallowitsch, H. J.
Gómez, M., Aguado, F., Menéndez, J. M., Revilla, M., Villa, L. F., Cortés, J., Rico, H.: Influence of soft tissue (fat and fat-free mass) on ultrasound bone velocity: An in vivo study, 609
Gonzalez, D. M.: *see* Truax, A. L.
Gordon, M. A.: *see* Tebben, P. J.
Gosselin, B.: *see* Remy, J.
Gourtsoyiannis, N.: *see* Xynos, E.
Grabener, M.: *see* Linstedt, U.
Grabitz, R. G., Freudenthal, F., Sigler, M., Seghaye, M.-C., Boosfeld, C., Von Bernuth, G.: Coil on the loop and selectively enhanced stiffness for improved control: Feasibility study in the neonatal ovine model of the large patent ductus arteriosus, 636
Grabitz, R. G., Handt, S., Vanopbroeke, H.-J., Seghaye, M.-C., Franke, A., Osypka, P., Von Bernuth, G.: Interventional atrioseptostomy by application of monopolar high-frequency alternating current: In vitro evaluation of a new device, 90
Grabitz, R. G., Schräder, R., Sigler, M., Seghaye, M.-C., Dzionsko, C., Handt, S., Schneidt, B., Von Bernuth, G.: Retrievable patent ductus arteriosus plug for interventional, transvenous occlusion of the patent ductus arteriosus: Evaluation in lambs and preliminary clinical results, 523
Gradon, L.: *see* Thomas, S. R.
Grashuis, J. L.: *see* Kuiper, J. W.
Grätz, M.: *see* Herrlin, K.
Günther, R. W.: *see* Adam, G.
Günther, R. W.: *see* Nolte-Ernsting, C.
Günther, R. W.: *see* Tacke, J.
Günther, R. W.: *see* Wildberger, J. E.
Gur, D.: *see* Maitz, G. S.

H

Haas, N.: *see* Vogl, T. J.
Hakim, C. M.: *see* Maitz, G. S.
Hamm, B.: *see* Richter, K.
Han, M. C.: *see* Choe, D. H.
Han, M. H.: *see* Choe, D. H.
Handt, S.: *see* Grabitz, R. G.
Handt, S.: *see* Grabitz, R. G.
Haroulakis, N.: *see* Xynos, E.
Harris, K. M.: *see* Maitz, G. S.
Hauff, P., Fritzsch, T., Reinhardt, M., Weitschies, W., Lüders, F., Uhlendorf, V., Heldmann, D.: Delineation of experimental liver tumors in rabbits by a new ultrasound contrast agent and stimulated acoustic emission, 94
Hayashi, N.: *see* Tomoi, M.
Hayashi, Y., Ikata, T., Takai, H., Takata, S., Ishikawa, M., Sogabe, T., Koga, K.: Effect of peripheral nerve injury on nuclear magnetic resonance relaxation times of rat skeletal muscle, 135
Heintzen, P.: *see* Kuhtz-Buschbeck, J. P.
Heinzelmann, I.: *see* Misselwitz, B.
Heldmann, D.: *see* Hauff, P.
Hell, B.: *see* Mäurer, J.
Heller, M.: *see* Brinkmann, G.
Hergt, R.: *see* Hilger, I.
Hermier, M.: *see* Berthezène, Y.
Hernández, E. R.: *see* Aguado, F.
Hernanz-Schulman, M.: *see* Cole, T. C., Jr.
Herrlin, K., Tillman, C., Grätz, M., Olsson, C., Pettersson, H., Svahn, G., Wahlström, C.-G., Svanberg, S.: Contrast-enhanced radiography by differential absorption, using a laser-produced x-ray source, 306
Herron, J. M.: *see* Maitz, G. S.
Heuck, A. F.: *see* Scheidler, J.
Heywang-Köbrunner, S. H.: *see* Richter, K.
Hidajad, N.: *see* Mäurer, J.
Hilger, I., Andrä, W., Bähring, R., Daum, A., Hergt, R., Kaiser, W. A.: Evaluation of temperature increase with different amounts of magnetite in liver tissue samples, 705
Hinson, G.: *see* Tebben, P. J.
Hochmuth, K.: *see* Vogl, T. J.
Hoff, L.: *see* Sontum, P. C.
Hoffmann, R.: *see* Vogl, T. J.
Holbert, B. L.: *see* Maitz, G. S.
Honda, H., Kaneko, K., Maeda, T., Kuroiwa, T., Fukuya, T., Yoshimitsu, K., Irie, H., Aibe, H., Takenaka, K., Masuda, K.: Small hepatocellular carcinoma on magnetic resonance imaging: Relation of signal intensity to angiographic and clinicopathologic findings, 161
Hong, S.-C.: *see* Kim, C.-G.
Hopper, K. D., Huber, S. J., Kasales, C. J., Mucha, P., Jr., Khandelwal, M., Rowe, W. A., Tenhave, T. R., Wise, S. W., Ouyang, A.: The clinical usefulness of routine stacked multiplanar reconstruction in helical abdominal computed tomography, 550
Hopper, K. D., Kasales, C. J., Mahraj, R. P. M., Starr, M. B., Tenhave, T. R., Jozefiak, J. A., Patrone, S. V., Singer, P. S.: Comparison of 1.0-, 1.5-, and 2.0-pitch abdominal helical computed tomography in evaluation of normal structures and pathologic lesions, 660
Houzard, C.: *see* Berthezène, Y.
Huber, S. J.: *see* Hopper, K. D.
Huda, W., Steinbach, B. G., Geiser, W., Belden, C. J.: Optimal technique factors for magnification mammography, 378
Huysmans, H. A.: *see* Vrooman, H. A.
Hyodoh, K.: *see* Sugimoto, H.

I

Idee, J.-M.: *see* Potier, M.
Ikata, T.: *see* Hayashi, Y.
Imperatori, L. G.: *see* Cavagna, F. M.
Irie, H.: *see* Honda, H.
Ishida, T., Murakami, T., Kato, N., Takahashi, M., Miyazawa, T., Tsuda, K., Tomoda, K., Narumi, Y., Nakamura, H.: Superparamagnetic iron oxide enhanced magnetic resonance imaging of rat liver with hepatocellular carcinoma and benign hyperplastic nodule, 282
Ishii, Y.: *see* Tomoi, M.
Ishikawa, M.: *see* Hayashi, Y.
Iten, A. L.: *see* Runge, V. M.
Itoh, S.: *see* Tomoi, M.
Itzchak, Y.: *see* Shemesh, J.

J

Jacobs, A.: *see* Jung, G.
Jacobson, J.: *see* Ryu, K. N.
Jaeger, H. J., Mair, T., Geller, M., Kinne, R. K., Christmann, A., Mathias, K. D.: A physiologic in vitro model of the inferior vena cava with a computer-controlled flow system for testing of inferior vena cava filters, 511
Janier, M. F.: *see* Casali, C.
Jansen, G. H.: *see* Meiners, L. C.
Jaovisidha, S.: *see* Ryu, K. N.
Jenkins, B. G.: *see* Cavagna, F. M.
Jessurun, E. R.: *see* Vrooman, H. A.
Johns, C. M.: *see* Maitz, G. S.
Jozefiak, J. A.: *see* Hopper, K. D.

Jung, G., Schröder, R., Lanfermann, H., Jacobs, A., Szelies, B., Schröder, R.: Evidence of acute demyelination around a developmental venous anomaly: Magnetic resonance imaging findings, 575
Jynge, P.: *see* Brurok, H.

K

Kailasnath, P.: *see* Putman, C. M.
Kaiser, W. A.: *see* Hilger, I.
Kamiyama, N.: *see* Kono, Y.
Kamiyama, T.: *see* Sugimoto, H.
Kaneko, K.: *see* Honda, H.
Kang, G. H.: *see* Choe, D. H.
Karlsson, J. O. G.: *see* Brurok, H.
Kasales, C. J.: *see* Hopper, K. D.
Kasales, C. J.: *see* Hopper, K. D.
Kasoff, S. S.: *see* Spiller, M.
Kato, N.: *see* Ishida, T.
Kawamura, Y.: *see* Tomoi, M.
Kearney, D.: *see* Padhani, A. R.
Keller-Reichenbecher, M.-A.: *see* Delorme, S.
Kersjes, W.: *see* Schunk, K.
Khan, M. A.: *see* Cheng, H.-C.
Khandelwal, M.: *see* Hopper, K. D.
Kim, C.-G., Kim, E. E., Kim, H.-J., Choe, J.-G., Hong, S.-C., Wong, F. C. L., Theriault, R. L., Nicolson, G. L., Podoloff, D. A.: Correlation between bone scan findings and collagenase activities in patients with breast cancer, 302
Kim, E. E.: *see* Kim, C.-G.
Kim, H.-J.: *see* Kim, C.-G.
Kimming, R.: *see* Scheidler, J.
Kimura, H.: *see* Tomoi, M.
Kinne, R. K.: *see* Jaeger, H. J.
Kloess, W.: *see* Linstedt, U.
Knes, J. M.: *see* Rauch, D.
Knollmann, F. D., Sorge, R., Mühler, A., Mäurer, J., Muschick, P., Böck, J. C., Felix, R.: Hemodynamic tolerance of intravascular contrast agents for magnetic resonance imaging, 755
Kobayashi, K.: *see* Kono, Y.
Koenig, S. H.: *see* Spiller, M.
Koga, K.: *see* Hayashi, Y.
Köhnlein, S.: *see* Kuhtz-Buschbeck, J. P.
Kohz, P.: *see* Scheidler, J.
Konda, S.: *see* Wiener, E. C.
Kono, Y., Moriyasu, F., Mine, Y., Nada, T., Kamiyama, N., Suginoshita, Y., Matsumura, T., Kobayashi, K., Chiba, T.: Gray-scale second harmonic imaging of the liver with galactose-based microbubbles, 120
Kool, M. D.: *see* Buller, V. G. M.
Kopecky, K. K.: *see* Shemesh, J.
Krarup, K.: *see* Moody, A. R.
Kraus, A.: *see* Altehoefer, C.
Krause, W., Press, W.-R.: Influence of contrast media on blood coagulation, 249
Krause, W.: *see* Sachse, A.
Kresnik, E.: *see* Gallowitsch, H. J.
Kronenberger, H.: *see* Pelinkovic, D.
Kubota, T.: *see* Tomoi, M.
Kuhtz-Buschbeck, J. P., Ehrhardt, K., Köhnlein, S., Radtke, W., Heintzen, P.: Gadopentetate dimeglumine and iodinated contrast media: Hemodynamic side effects after bolus injections in pigs, 111
Kuiper, J. W., Van Kuijk, C., Grashuis, J. L.: Distribution of trabecular and cortical bone related to geometry: A quantitative computed tomography study of the femoral neck, 83
Kuroiwa, T.: *see* Honda, H.
Kwong, K.: *see* Cheng, H.-C.

L

Lagroye, I.: *see* Potier, M.
Lakhdar, B.: *see* Potier, M.
Lalk, G.: *see* Brinkmann, G.
Lamoureux, S.: *see* Salvan, A.-M.
Lanfermann, H.: *see* Jung, G.
Lange, W.: *see* Altehoefer, C.
Langer, M.: *see* Altehoefer, C.
Laubenberger, J.: *see* Altehoefer, C.
Laufer, J. L.: *see* Vrooman, H. A.
Lauffer, R. B.: *see* Parmelee, D. J.
Lazenby, R. A.: Bias and agreement for radiogrammetric estimates of cortical bone geometry, 12
Lee, C.: *see* Runge, V. M.
Leike, J. U.: *see* Sachse, A.
Lewin, J. S.: *see* Chung, Y.-C.
Liddicoat, A.: *see* Moody, A. R.
Lind, P.: *see* Gallowitsch, H. J.
Link, J.: *see* Brinkmann, G.
Link, J.: *see* Linstedt, U.
Linstedt, U., Link, J., Grabener, M., Kloess, W.: Effects of selective angiography of the carotid artery with carbon dioxide on electroencephalogram: Somatosensory evoked potentials and histopathologic findings: A pilot study in pigs, 507
Lopes, T. D., Reinus, W. R., Wilson, A. J.: Quantitative analysis of the plain radiographic appearance of Brodie's abscess, 51
Lörcher, U.: *see* Pelinkovic, D.
Lorusso, V.: *see* Cavagna, F. M.
Luboldt, W., de Santis, M., Von Smekal, A., Reiser, M.: Attenuation characteristics and application of gadolinium-DTPA in fast helical computed tomography, 690
Lubrich, J.: *see* Vogl, T. J.
Lüders, F.: *see* Hauff, P.
Ludwig, J. W.: *see* Vrooman, H. A.

M

Madsen, P. O.: *see* Rauch, D.
Madsen, P. O.: *see* Rauch, D.
Maeda, T.: *see* Honda, H.
Maggioni, F.: *see* Cavagna, F. M.
Mahraj, R. P. M.: *see* Hopper, K. D.
Mair, T.: *see* Jaeger, H. J.
Maitz, G. S., Chang, T. S., Sumkin, J. H., Wintz, P. W., Johns, C. M., Ganott, M., Holbert, B. L., Hakim, C. M., Harris, K. M., Gur, D., Herron, J. M.: Preliminary clinical evaluation of a high-resolution telemammography system, 236
Makuch, R. S., Bender, G. N., Brissette, M. D., Tsuchida, A. M.: Fluoroscopic-guided in vivo gastric mapping for assessment of gastric carcinoma, 496
Mali, W. P. Th. M.: *see* Meiners, L. C.
Maliepaard, C.: *see* Vrooman, H. A.
Manduteanu, I., Corot, C., Simionescu, N., Meyer, D., Simionescu, M.: Experimental evaluation of the vascular effects and transport of an iodinated macromolecular contrast medium, 447
Manke, C.: *see* Völk, M.
Marchal, G.: *see* Ni, Y.
Mashimo, T.: *see* Akimoto, T.
Masuda, K.: *see* Honda, H.
Mathias, K. D.: *see* Jaeger, H. J.
Matsumoto, M.: *see* Akimoto, T.
Matsumura, T.: *see* Kono, Y.
Mäurer, J., Willam, C., Schroeder, R., Hidajad, N., Hell, B., Bier, J., Weber, S., Felix, R.: Evaluation of metastases and reactive lymph nodes in Doppler sonography using an ultrasound contrast enhancer, 441
Mäurer, J.: *see* Knollmann, F. D.
McCreery, T. P.: *see* Unger, E. C.
McGoron, A. J.: *see* Thomas, S. R.
Meiners, L. C., Valk, J., Van Gils, A. P. G., de Kort, G. A. P., Witkamp, T. D., Ramos, L. M. P., Van Huffelen, A. C., Van Veelen, C. W. M., Jansen, G. H., Wynne, H. J., Mali, W. P. Th. M.: Assessment of the preferred plane and sequence in the depiction of mesial temporal sclerosis using magnetic resonance imaging, 268
Melchert, U. H.: *see* Brinkmann, G.
Menéndez, J. M.: *see* Gómez, M.
Mesaric, P.: *see* Stiskal, M.
Meyer, D.: *see* Manduteanu, I.
Miao, Y.: *see* Ni, Y.
Mikosch, P.: *see* Gallowitsch, H. J.
Milam, D. F.: *see* Cole, T. C., Jr.
Mildenberger, P.: *see* Schunk, K.
Millard, R. W.: *see* Thomas, S. R.
Mine, Y.: *see* Kono, Y.
Misselwitz, B., Mühler, A., Heinzelmann, I., Böck, J. C., Weinmann, H.-J.: Magnetic resonance imaging of pulmonary ventilation: Initial experiences with a gadolinium-DPTA–based aerosol, 797
Mitsuhashi, N.: *see* Akimoto, T.
Miyazawa, T.: *see* Ishida, T.
Moody, A. R., Liddicoat, A., Krarup, K.: Magnetic resonance pulmonary angiography and direct imaging of embolus for the detection of pulmonary emboli, 431
Morgon, A.: *see* Berthezène, Y.
Moriyasu, F.: *see* Kono, Y.
Motro, M.: *see* Shemesh, J.
Mucha, P., Jr.: *see* Hopper, K. D.
Muhle, C.: *see* Brinkmann, G.
Mühler, A.: *see* Knollmann, F. D.
Mühler, A.: *see* Misselwitz, B.
Muller, R. N.: *see* Elst, L. V.
Münchau, A.: *see* Wildberger, J. E.
Munns, S.: *see* Tebben, P. J.
Murakami, T.: *see* Ishida, T.
Muschick, P.: *see* Knollmann, F. D.
Mutze, S.: *see* Ewert, R.

N

Nada, T.: *see* Kono, Y.
Nagasaka, S.: *see* Sugimoto, H.
Nakamura, H.: *see* Ishida, T.
Narumi, Y.: *see* Ishida, T.
Nava, M. E. R.: *see* Stomper, P. C.
Neuerburg, J.: *see* Adam, G.
Ng, T. C.: *see* Sijens, P. E.
Ni, Y., Petré, C., Miao, Y., Yu, J., Cresens, E., Adriaens, P., Bosmans, H., Semmler, W., Baert, A. L., Marchal, G.: Magnetic resonance imaging—histomorphologic correlation studies on paramagnetic metalloporphyrins in rat models of necrosis, 770
Nicoli, F.: *see* Salvan, A.-M.

Nicolson, G. L.: *see* Kim, C.-G.
Niibe, H.: *see* Akimoto, T.
Nolte-Ernsting, C., Adam, G., Bücker, A., Berges, S., Bjønerud, A., Günther, R. W.: Contrast-enhanced magnetic resonance urography: First experimental results with a polymeric gadolinium bloodpool agent, 418
Nunn, A. D.: *see* Tweedle, M. F.

O

Obadia, J.-F.: *see* Casali, C.
O'Donnell, J. M.: *see* Akino, M.
Olsson, C.: *see* Herrlin, K.
Osypka, P.: *see* Grabitz, R. G.
Oudkerk, M.: *see* Sijens, P. E.
Ouellet, H. S.: *see* Parmelee, D. J.
Ouyang, A.: *see* Hopper, K. D.

P

Padhani, A. R., Scott, W. W., Jr., Cheema, M., Kearney, D., Erozan, Y. S.: The value of immediate cytologic evaluation for needle aspiration lung biopsy, 453
Pagenstecher, A.: *see* Schellhammer, F.
Pantely, G. A.: *see* Walker, K. W.
Parmelee, D. J., Walovitch, R. C., Ouellet, H. S., Lauffer, R. B.: Preclinical evaluation of the pharmacokinetics, biodistribution, and elimination of MS-325, a blood pool agent for magnetic resonance imaging, 741
Patrone, S. V.: *see* Hopper, K. D.
Pelinkovic, D., Lörcher, U., Chow, K. U., Kronenberger, H., Buhl, R.: Spirometric gated quantitative computed tomography of the lung in healthy smokers and nonsmokers, 335
Pereira, F. J.: *see* Rauch, D.
Petrakis, I.: *see* Xynos, E.
Petré, C.: *see* Ni, Y.
Petrick, J., Zomack, M., Schlief, R.: An investigation of the relationship between ultrasound echo enhancement and Doppler frequency shift using a pulsatile arterial flow phantom, 225
Pettersson, H.: *see* Herrlin, K.
Plokker, H. W. T.: *see* Vrooman, H. A.
Podgorski, A. L.: *see* Thomas, S. R.
Podoloff, D. A.: *see* Kim, C.-G.
Pope, J. C., IV: *see* Cole, T. C., Jr.
Pope, T. W.: *see* Tebben, P. J.
Potier, M., Lagroye, I., Lakhdar, B., Cambar, J., Idee, J.-M.: Comparative cytotoxicity of low- and high-osmolar contrast media to human fibroblasts and rat mesangial cells in culture, 621
Pratsinis, S. E.: *see* Thomas, S. R.
Pratt, R. G.: *see* Thomas, S. R.
Preidler, K. W.: *see* Stiskal, M.
Press, W.-R.: *see* Krause, W.
Prihoda, H.,: *see* Richter, K.
Puginier, J.: *see* Schneider, M.
Putman, C. M., Chaloupka, J. C., Kailasnath, P., Alderman, J.: Technical feasibility and performance studies of a 0.009-inch Nitinol microguidewire for potential neuroendovascular applications, 241

R

Radtke, W.: *see* Kuhtz-Buschbeck, J. P.
Ramos, L. M. P.: *see* Meiners, L. C.
Rauch, D., Drescher, P., Pereira, F. J., Knes, J. M., Will, J. A., Madsen, P. O.: Comparison of iodinated contrast media-induced renal vasoconstriction in human, rabbit, dog, and pig arteries, 315
Rauch, D., Sparwasser, C., Drescher, P., Knes, J. M., Madsen, P. O.: Effect of contrast medium on corpus cavernosum smooth muscle, 424
Reiber, J. H. C.: *see* Buller, V. G. M.
Reiber, J. H. C.: *see* Vrooman, H. A.
Reinhardt, M.: *see* Hauff, P.
Reinus, W. R.: *see* Lopes, T. D.
Reinus, W. R.: *see* Zelazny, A.
Reiser, M.: *see* Luboldt, W.
Reiser, M. F.: *see* Scheidler, J.
Remy, J., Deschildre, F., Artaud, D., Remy-Jardin, M., Copin, M. C., Bordet, R., Gosselin, B.: Bronchial arteries in the pig before and after permanent pulmonary artery occlusion, 218
Remy-Jardin, M.: *see* Remy, J.
Resnick, D.: *see* Ryu, K. N.
Revel, D.: *see* Berthezène, Y.
Revel, D.: *see* Casali, C.
Revilla, M.: *see* Aguado, F.
Revilla, M.: *see* Gómez, M.
Richter, K., Prihoda, H.,, Heywang-Köbrunner, S. H., Hamm, B.: Description and first clinical use of a new system for combined mammography and automated clinical amplitude/velocity reconstructive imaging breast sonography, 19
Rico, H.: *see* Aguado, F.
Rico, H.: *see* Gómez, M.
Robitaille, P.-M. L.: *see* Akino, M.
Rogalla, P.: *see* Ewert, R.
Romaneehsen, B.: *see* Schunk, K.
Roolker, L., Tiel-Van Buul, M. M. C., Bossuyt, P. P. M., Dijkstra, P. F., Van Grieken, H. J. M., Broekhuizen, T. H.: The value of additional carpal box radiographs in suspected scaphoid fracture, 149
Rosenbusch, G.: *see* Van den Berg, J. C.
Rowe, W. A.: *see* Hopper, K. D.
Rozenman, J.: *see* Shemesh, J.
Rößling, G. L.: *see* Sachse, A.
Runge, V. M., Lee, C., Iten, A. L., Williams, N. M.: Contrast-enhanced magnetic resonance imaging in a spinal epidural tumor model, 589
Runge, V. M., Lee, C., Williams, N. M.: Detectability of Small Liver Metastases with Gadolinium BOPTA, 557
Runge, V. M., Timoney, J. F., Williams, N. M.: Magnetic resonance imaging of experimental pyelonephritis in rabbits, 696
Runge, V. M., Wells, J. W., Baldwin, S. A., Scheff, S. W., Blades, D. A.: Evaluation of the temporal evolution of acute spinal cord injury, 105
Runge, V. M., Wells, J. W., Williams, N. M.: Renal metastasis: Detection and characterization on enhanced magnetic resonance imaging using an animal model, 212
Rutishauser, W.: *see* Dorsaz, P.-A.
Ryu, K. N., Jaovisidha, S., de Maeseneer, M., Jacobson, J., Sartoris, D. J., Resnick, D.: Evolving stages of lipohemarthrosis of the knee: Sequential magnetic resonance imaging findings in cadavers with clinical correlation, 7

S

Sachse, A., Leike, J. U., Schneider, T., Wagner, S. E., Rößling, G. L., Krause, W., Brandl, M.: Biodistribution and computed tomography blood-pool imaging properties of polyethylene glycol-coated iopromide-carrying liposomes, 44
Sahn, D.: *see* Fritz, T.
Sahn, D. J.: *see* Walker, K. W.
Sakai, O.: *see* Sugimoto, H.
Salvan, A.-M., Vion-Dury, J., Confort-Gouny, S., Nicoli, F., Lamoureux, S., Cozzone, P. J.: Cerebral metabolic alterations in human immunodeficiency virus-related encephalopathy detected by proton magnetic resonance spectroscopy: Comparison between sequences using short and long echo times, 485
Sartoris, D. J.: *see* Ryu, K. N.
Schadmand-Fischer, S.: *see* Schunk, K.
Schalij, M. J.: *see* Vrooman, H. A.
Scheff, S. W.: *see* Runge, V. M.
Scheidler, J., Heuck, A. F., Bruening, R., Kohz, P., Kimming, R., Stehling, M. K., Reiser, M. F.: Magnetic resonance imaging of the female pelvis: New circularly polarized body array coil versus standard body coil, 1
Schellhammer, F., Berlis, A., Bloss, H., Pagenstecher, A., Schumacher, M.: Poly-lactic-acid coating for endovascular stents: Preliminary results in canine experimental arteriovenous fistulae, 180
Schjott, J.: *see* Brurok, H.
Schlegel, W.: *see* Delorme, S.
Schlief, R.: *see* Petrick, J.
Schneider, M., Broillet, A., Bussat, P., Giessinger, N., Puginier, J., Ventrone, R., Yan, F.: Gray-scale liver enhance in VX2 tumor-bearing rabbits using BR14, a new ultrasonographic contrast agent, 410
Schneider, T.: *see* Sachse, A.
Schneidt, B.: *see* Grabitz, R. G.
Schräder, R.: *see* Grabitz, R. G.
Schröder, R.: *see* Jung, G.
Schroeder, R.: *see* Mäurer, J.
Schrum, F. F.: *see* Cole, T. C., Jr.
Schumacher, M.: *see* Schellhammer, F.
Schunk, K., Romaneehsen, B., Mildenberger, P., Kersjes, W., Schadmand-Fischer, S., Thelen, M.: Dynamic phosphorus-31 magnetic resonance spectroscopy in arterial occlusive disease: Correlation with clinical and angiographic findings and comparison with healthy volunteers, 651
Schürmann, K.: *see* Tacke, J.
Scott, W. W., Jr.: *see* Padhani, A. R.
Seghaye, M.-C.: *see* Grabitz, R. G.
Seitz, J.: *see* Völk, M.
Semmler, W.: *see* Ni, Y.
Shadron, A.: *see* Wiener, E. C.
Shemesh, J., Tenenbaum, A., Kopecky, K. K., Apter, S., Rozenman, J., Itzchak, Y., Motro, M.: Coronary calcium measurements by double helical computed tomography: Using the average instead of peak density algorithm improves reproducibility, 503
Shinozaki, T.: *see* Toei, H.
Showalter, P. R.: *see* Cole, T. C., Jr.
Sigler, M.: *see* Grabitz, R. G.
Sijens, P. E., Baldwin, N. J., Ng, T. C.: ^{31}P magnetic resonance spectroscopy detection of response-predictive adenosine triphos-

phate decrease in irradiated radiation-induced fibrosarcoma-1 tumors, 39
Sijens, P. E., Van Den Bent, M. J., Oudkerk, M.: Phosphorus-31 chemical shift imaging of metastatic tumors located in the spine region, 344
Simionescu, M.: *see* Manduteanu, I.
Simionescu, N.: *see* Manduteanu, I.
Singer, P. S.: *see* Hopper, K. D.
Skalpe, I. O., Tang, G. J.: Magnetic resonance imaging contrast media in the subarachnoid space: A comparison between gadodiamide injection and gadopentetate dimeglumine in an experimental study in pigs, 140
Sogabe, T.: *see* Hayashi, Y.
Sohara, Y.: *see* Toei, H.
Söllner, O.: *see* Vogl, T. J.
Sontum, P. C., Walday, P., Dyrstad, K., Hoff, L., Frigstad, S., Chistiansen, C.: Effect of microsphere size distribution on the ultrasonographic contrast efficacy of air-filled albumin microspheres in the left ventricle of dog hearts, 625
Sorge, R.: *see* Knollmann, F. D.
Spahn, M.: *see* Völk, M.
Sparwasser, C.: *see* Rauch, D.
Spiller, M., Childress, S. M., Koenig, S. H., Duffy, K. R., Valsamis, M. P., Tenner, M. S., Kasoff, S. S.: Secretory and nonsecretory pituitary adenomas are distinguishable by 1/T1 magnetic relaxation rates at very low magnetic fields in vitro, 320
Stargardt, A.: *see* Adam, G.
Starr, M. B.: *see* Hopper, K. D.
Steffens, J. C.: *see* Brinkmann, G.
Stehling, M. K.: *see* Scheidler, J.
Steinbach, B. G.: *see* Huda, W.
Steiner, E.: *see* Stiskal, M.
Steiner, P., Botnar, R., Goldberg, S. N., Gazelle, G. S., Debatin, J. F.: Monitoring of radio frequency tissue ablation in an interventional magnetic resonance environment: Preliminary ex vivo and in vivo results, 671
Stenzel, I.: *see* Stiskal, M.
Stewart, C. C.: *see* Stomper, P. C.
Stiskal, M., Szolar, D. H., Stenzel, I., Steiner, E., Mesaric, P., Czembirek, H., Preidler, K. W.: Magnetic resonance imaging of achilles tendon in patients with rheumatoid arthritis, 602
Stöckle, U.: *see* Vogl, T. J.
Stokes, B. T.: *see* Akino, M.
Stomper, P. C., Nava, M. E. R., Budnick, R. M., Stewart, C. C.: Specimen mammography-guided fine-needle aspirates of clinically occult benign and malignant lesions: Analysis of cell number and type, 277
Strauss, H. W.: *see* Tweedle, M. F.
Strotzer, M.: *see* Völk, M.
Südkamp, N.: *see* Vogl, T. J.
Sugimoto, H., Nagasaka, S., Hyodoh, K., Sakai, O., Kamiyama, T., Furuse, M.: Longitudinal changes of metacarpal cortical striation in Graves' disease, 679
Suginoshita, Y.: *see* Kono, Y.
Sumkin, J. H.: *see* Maitz, G. S.
Sutherland, G.: *see* Fritz, T.
Svahn, G.: *see* Herrlin, K.
Svanberg, S.: *see* Herrlin, K.
Sweitzer, R. H.: *see* Unger, E. C.
Szelies, B.: *see* Jung, G.
Szolar, D. H.: *see* Stiskal, M.

T

Tacke, J., Schürmann, K., Vorwerk, D., Günther, R. W.: Color-coded duplex sonography of experimentally induced multilevel stenosis: Evaluation of poststenotic Doppler spectrum, 389
Takahashi, M.: *see* Ishida, T.
Takai, H.: *see* Hayashi, Y.
Takata, S.: *see* Hayashi, Y.
Takenaka, K.: *see* Honda, H.
Tang, G. J.: *see* Skalpe, I. O.
Tebben, P. J., Pope, T. W., Hinson, G., Batnitzky, S., Wetzel, L. H., de Paolis, D. C., Munns, S., Wilkinson, S. B., Gordon, M. A.: Three-dimensional computerized reconstruction: Illustration of incremental articular cartilage thinning, 475
Tenenbaum, A.: *see* Shemesh, J.
Tenhave, T. R.: *see* Hopper, K. D.
Tenhave, T. R.: *see* Hopper, K. D.
Tenner, M. S.: *see* Spiller, M.
Thelen, M.: *see* Schunk, K.
Theriault, R. L.: *see* Kim, C.-G.
Thomas, S. R., Gradon, L., Pratsinis, S. E., Pratt, R. G., Fotou, G. P., McGoron, A. J., Podgorski, A. L., Millard, R. W.: Perfluorocarbon compound aerosols for delivery to the lung as potential ^{19}F magnetic resonance reporters of regional pulmonary pO_2, 29
Tiel-Van Buul, M. M. C.: *see* Roolker, L.
Tillman, C.: *see* Herrlin, K.
Timoney, J. F.: *see* Runge, V. M.
Toei, H., Furuse, M., Shinozaki, T., Sohara, Y.: Computed tomography analysis of the anterior mediastinal fat after left upper lobectomy, 174
Tomoda, K.: *see* Ishida, T.
Tomoi, M., Kimura, H., Yoshida, M., Itoh, S., Kawamura, Y., Hayashi, N., Yamamoto, K., Kubota, T., Ishii, Y.: Alterations of lactate (+ lipid) concentration in brain tumors with in vivo hydrogen magnetic resonance spectroscopy during radiotherapy, 288
Truax, A. L., Chandnani, V. P., Chacko, A. K., Gonzalez, D. M.: Incidence and methods of diagnosis of musculoskeletal injuries incurred in operations Desert Shield and Desert Storm, 169
Truy, E.: *see* Berthezène, Y.
Tsuchida, A. M.: *see* Makuch, R. S.
Tsuda, K.: *see* Ishida, T.
Tweedle, M. F., Zhang, X., Fernandez, M., Wedeking, P., Nunn, A. D., Strauss, H. W.: A noninvasive method for monitoring renal status at bedside, 802

U

Uhlendorf, V.: *see* Hauff, P.
Uhrmeister, P.: *see* Altehoefer, C.
Unger, E. C., McCreery, T. P., Sweitzer, R. H.: Ultrasound enhances gene expression of liposomal transfection, 723
Unger, E. C.: *see* Fritz, T.

V

Valk, J.: *see* Meiners, L. C.
Valsamis, M. P.: *see* Spiller, M.
Van Den Bent, M. J.: *see* Sijens, P. E.
Van den Berg, J. C., de Valois, J. C., Go, P. M. N. Y. H., Rosenbusch, G.: Dynamic magnetic resonance imaging in the diagnosis of groin hernia, 644
Van Der Geest, R. J.: *see* Buller, V. G. M.
Van der Graaf, Y.: *see* Van Heesewijk, H. P. M.
Van Der Linden, L. P. D.: *see* Vrooman, H. A.
Van Der Wall, E. E.: *see* Buller, V. G. M.
Van Gils, A. P. G.: *see* Meiners, L. C.
Van Grieken, H. J. M.: *see* Roolker, L.
Van Heesewijk, H. P. M., Van der Graaf, Y., de Valois, J. C., Vos, J. A., Feldberg, M. A. M.: Digital chest imaging using a selenium detector: The impact of hard copy size on observer performance: A computed tomography-controlled study, 363
Van Huffelen, A. C.: *see* Meiners, L. C.
Van Kaick, G.: *see* Delorme, S.
Van Kuijk, C.: *see* Kuiper, J. W.
Vanopbroeke, H.-J.: *see* Grabitz, R. G.
Van Vaals, J. J.: *see* Adam, G.
Van Veelen, C. W. M.: *see* Meiners, L. C.
Vassilakis, J. S.: *see* Xynos, E.
Ventrone, R.: *see* Schneider, M.
Villa, L. F.: *see* Aguado, F.
Villa, L. F.: *see* Gómez, M.
Violon, D.: Computation of the solvent-accessible surface area of monomer nonionic contrast media: Consequences for used probe radius in the study of hydrophilic characteristics, 126
Violon, D.: Analysis of the factors influencing the osmolality of eight monomeric nonionic iodinated contrast medium molecules, 684
Vion-Dury, J.: *see* Salvan, A.-M.
Vogl, T. J., Hochmuth, K., Diebold, T., Lubrich, J., Hoffmann, R., Stöckle, U., Söllner, O., Bisson, S., Südkamp, N., Haas, N., Felix, R.: Magnetic resonance imaging in the diagnosis of acute injured distal tibiofibular syndesmosis, 401
Völk, M., Strotzer, M., Gmeinwieser, J., Alexander, J., Fründ, R., Seitz, J., Manke, C., Spahn, M., Feuerbach, S.: Flat-panel x-ray detector using amorphous silicon technology: Reduced radiation dose for the detection of foreign bodies, 373
Von Bernuth, G.: *see* Grabitz, R. G.
Von Smekal, A.: *see* Luboldt, W.
Vorwerk, D.: *see* Adam, G.
Vorwerk, D.: *see* Tacke, J.
Vos, J. A.: *see* Van Heesewijk, H. P. M.
Vrooman, H. A., Maliepaard, C., Van Der Linden, L. P. D., Jessurun, E. R., Ludwig, J. W., Plokker, H. W. T., Schalij, M. J., Weeda, H. W. H., Laufer, J. L., Huysmans, H. A., Reiber, J. H. C.: Quantitative assessment of the presence of a single leg separation in Björk-Shiley convexoconcave prosthetic heart valves, 540

W

Wagner, S. E.: *see* Sachse, A.
Wahlström, C.-G.: *see* Herrlin, K.
Walday, P.: *see* Sontum, P. C.
Walker, K. W., Pantely, G. A., Sahn, D. J.: Ultrasound-mediated destruction of contrast agents: Effect of ultrasound intensity, exposure, and frequency, 728
Walovitch, R. C.: *see* Parmelee, D. J.
Weber, S.: *see* Mäurer, J.

Wedeking, P.: *see* Tweedle, M. F.
Weeda, H. W. H.: *see* Vrooman, H. A.
Weinmann, H.-J.: *see* Misselwitz, B.
Weissleder, R.: *see* Cheng, H.-C.
Weitschies, W.: *see* Hauff, P.
Wells, J. W.: *see* Runge, V. M.
Wetzel, L. H.: *see* Tebben, P. J.
Wiener, E. C., Konda, S., Shadron, A., Brechbiel, M., Gansow, O.: Targeting dendrimer-chelates to tumors and tumor cells expressing the high-affinity folate receptor, 748
Wildberger, J. E., Adam, G., Boeckmann, W., Münchau, A., Brauers, A., Günther, R. W., Füzesi, L.: Computed tomography characterization of renal cell tumors in correlation with histopathology, 596
Wilkinson, S. B.: *see* Tebben, P. J.
Will, J. A.: *see* Rauch, D.
Willam, C.: *see* Mäurer, J.
Williams, N. M.: *see* Runge, V. M.
Wilson, A. J.: *see* Lopes, T. D.
Wilson, A. J.: *see* Zelazny, A.
Wintz, P. W.: *see* Maitz, G. S.
Wise, S. W.: *see* Hopper, K. D.
Witkamp, T. D.: *see* Meiners, L. C.
Wong, F. C. L.: *see* Kim, C.-G.
Worrell, J. A.: *see* Cole, T. C., Jr.
Wynne, H. J.: *see* Meiners, L. C.

X

Xynos, E., Haroulakis, N., Petrakis, I., Damilakis, J., Vassilakis, J. S., Gourtsoyiannis, N.: Effect of the menstrual cycle on gallbladder fasting volume and postprandial emptying in nulliparous young females, 330

Y

Yamamoto, K.: *see* Tomoi, M.
Yan, F.: *see* Schneider, M.
Yeon, K. M.: *see* Choe, D. H.
Yoshida, M.: *see* Tomoi, M.
Yoshimitsu, K.: *see* Honda, H.
Yu, J.: *see* Ni, Y.

Z

Zelazny, A., Reinus, W. R., Wilson, A. J.: Quantitative analysis of the plain radiographic appearance of Ewing's sarcoma of bone, 59
Zhang, X.: *see* Tweedle, M. F.
Zomack, M.: *see* Petrick, J.
Zuna, I.: *see* Delorme, S.

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Act of August 2, 1970: Section 3685, Title 39 United States Code) Date of Filing—October 1, 1997; Title of Publication—*INVESTIGATIVE RADIOLOGY*; Frequency of Issue—Monthly; Annual Subscription Price—$183.00; Location of Known Office of Publication—Lippincott–Raven Publishers, 12107 Insurance Way, Suite 114, Hagerstown, MD 21740; Location of Headquarters or General Business Offices of the Publisher—227 East Washington Square, Philadelphia, PA 19106; Publisher—Lippincott–Raven Publishers, 227 East Washington Square, Philadelphia, PA 19106; Editor—Val M. Runge, MD, University of Kentucky, Room 106 MRISC Bldg, 800 Rose St., Lexington, KY 40536-0098; Managing Editor—Karen Harmon, Lippincott–Raven Publishers, 1803 Research Blvd., Ste 300, Rockville, MD 20850. Owner—Lippincott–Raven Publishers, a wholly owned subsidiary of Wolters Kluwer, U.S. Corporation, 227 East Washington Square, Philadelphia, PA 19106, 1185 Avenue of the Americas, 36th Floor, New York, NY 10036; Wolters Kluwer nv, Stadouderskade 1, 1054 FS Amsterdam, The Netherlands. Known bondholders, mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages, or other securities—none. A. Total no. copies printed (*net press run*), average 1425, actual 1500; B. Paid circulation 1. Sales through dealers and carriers, street vendors and counter sales, average none, actual none; 2. Mail subscriptions, average 717, actual 722; C. Total paid circulation, average 717, actual 722; D. Free distribution by mail, samples, complimentary, and other free copies, average 78, actual 92; E. Free distribution outside mail (carriers of other means), none; F. Total free distribution (*sum of D and E*), average 78, actual 92. G. Total distribution (*sum of C and F*), average 795, actual 814; H. Copies not distributed. Office use, leftover, unaccounted, spoiled after printing, average 630, actual 686. Returns from news agents, none; I. Total (*sum of G and H—should equal net press run shown in A*), average 1425, actual 1500. Percent paid and/or requested circulation average 90%, actual 89%. I certify that the statements made by me above are correct and complete. Beverly V. Dietrich, *Circulation Director.*